

Schneider-Kreuznach XENON FF-Prime Cine-Tilts

Technical Data

Lens	XN T 2.1 / 25	XN T 2.1 / 35	XN T 2.1 / 50	XN T 2.1 / 75	XN T 2.1 / 100
					
Aperture Range	T 2.1 - 22	T 2.1 - 22	T 2.1 - 22	T 2.1 - 22	T 2.1 - 22
Close Focus / M.O.D.	0.3 m / 12"	0.35 m / 14"	0.50 m / 20"	0.75 m / 2'6"	1 m / 3'3"
Weight	1354 g / 3 lbs	1376 g / 3 lbs	1407 g / 3.1 lbs	1397 g / 3.1 lbs	1406 g / 3.1 lbs
Front Diameter	100 mm / 3.9"	100 mm / 3.9"	100 mm / 3.9"	100 mm / 3.9"	100 mm / 3.9"
Filter Thread	M 95 x 1 mm	M 95 x 1 mm	M 95 x 1 mm	M 95 x 1 mm	M 95 x 1 mm
Horizontal Tilt Angle*	4° / 80°	4° / 77°	4° / 70°	4° / 60°	4° / 50°

*Sensor / Object in distance 2m / 6.6 ft at image center

- ±4° tilt functionality
- Locked at 0°, functions as a regular prime
- Covers full frame sensors 36 mm x 24 mm
- Designed for 4K and beyond resolution
- 100mm front diameter
- 95mm filter thread
- 14 iris blades for an outstanding Bokeh
- Color matched
- Minimized breathing
- Uniform dimensions throughout the set
- Standard lens accessory ready
- Calibrated focus scales for reliable adjustment & shot repeatability